



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/813,433	03/31/2004	Simon Knowles	66365-021	3801

7590 02/06/2008
MCDERMOTT, WILL & EMERY
600 13th Street, N.W.
Washington, DC 20005-3096

EXAMINER

HUISMAN, DAVID J

ART UNIT	PAPER NUMBER
----------	--------------

2183

MAIL DATE	DELIVERY MODE
-----------	---------------

02/06/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

mn

Office Action Summary	Application No. 10/813,433	Applicant(s) KNOWLES, SIMON	
	Examiner David J. Huisman	Art Unit 2183	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 November 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 31 March 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>10/19/2007</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1-23 have been examined.

Papers Submitted

2. It is hereby acknowledged that the following papers have been received and placed of record in the file: IDS as received on 10/19/2007 and Amendment as received on 11/20/2007.

Specification

3. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: The specification does not provide proper antecedent basis for "computer readable medium" as claimed in claim 23.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claim 11 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

6. The term "relative interconnectivity" in claim 11 is relative language which renders the claim indefinite. The term "relative" is not defined by the claim, the specification does not

provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention.

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claims 1-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Trimberger, U.S. Patent No. 5,737,631, in view of Ko et al., EP 419,105 A2 (herein referred to as Ko).

9. Referring to claim 1, Trimberger has taught a computer processor having control and data processing capabilities comprising:

a) a decode unit for decoding instructions (Trimberger: Figure 2, item 112).

b) a dedicated data processing facility having its own data register file (Fig.2, component 103 or 130), the data processing facility comprising a first data execution path including fixed operators (Trimberger: Figure 2, item 100) and a second data execution path including at least configurable operators (Trimberger: Figure 2, item 120).

c) wherein said decode unit is operable to detect whether a data processing instruction defines a fixed data processing operation or a configurable data processing operation, said decode unit causing the computer system to supply data for processing to said first data execution path when a fixed data processing instruction is detected and to said configurable data execution path when a configurable data processing instruction is detected (Trimberger: column 7, lines 45-50).

d) Trimberger has not taught a dedicated control processing facility comprising a control execution path having its own control register file. However, Official Notice is taken that branch units pushing return addresses on a stack-based register file is a well known and advantageous concept in the art. Specifically, a branch unit is a unit which controls program flow in response to a branch, such as a subroutine call or return instruction. Having these instructions is useful because it allows the programmer to repeat a code routine by simply calling the routine. Without a call/return, each time the routine is to be repeated, the actual routine would have to be duplicated. Consequently, by having call/return instructions, code density is increased by only having to write the routine once. Furthermore, in response to such a call, the branch unit will push a return address into its register file stack, which is also a well known component. In response to a return from subroutine instruction, an address would be retrieved from the top of the register file stack. Note that such a register file stack is known to be used in return address prediction which is clearly useful because a return address may be predicted by the register file stack before the true address is fetched from main memory, thereby allowing the processor to continue execution without stalling (which in turn increases throughput). As a result, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Trimberger to include a branch unit having its own register file for executing call and return-type instructions, and predicting return addresses to increase throughput. It should further be noted that such a register file is only written to and read from when a branch of some sort occurs, and consequently, it can be said that the branch unit has its own register file.

e) Trimberger has also not taught that said configurable operators having a plurality of predefined hardwired operator classes, at least some of the interconnectivity of said operators is

selectable by means of an opcode portion of a data processing instruction. However, Ko has taught the concept of a gate array that contains hardwired operator classes (see Fig.1, components 14, 16, 18, 20, 22, etc) where the interconnectivity of at least some of the classes is selectable (see the definable circuitry of Fig.1 and Fig.2). Essentially, instead of a fully reprogrammable FPGA, as taught by Trimberger, Ko has taught an FPGA with a hardwired DSP portion and a programmable portion so that the programmer may realize different configurations for different applications. One of ordinary skill in the art would have recognized that both Trimberger and Ko have taught gate arrays and that the gate array of Ko would certainly be a substitute for Trimberger's current gate array 120. Such a modification would allow Trimberger to perform DSP operations in addition to maintaining the flexibility associated with reprogrammability. In addition, Ko would allow for expansion via inter-chip communication since his/her gate array ensures communication speed is not degraded. See the summary of invention of Ko on page 2. As a result, in order to perform DSP, include reprogrammability based on application, and ensure hi-speed communication with other components, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Trimberger's gate array to be Ko's gate array. And, it would follow that Trimberger would still select the connectivity of the operator classes via program instruction opcode. See column 3, lines 31-33.

10. Referring to claim 2, Trimberger in view of Ko has taught a computer processor according to claim 1, wherein the decode unit is capable of decoding a stream of instruction packets from memory, each packet comprising a plurality of instructions (Trimberger: column 7, lines 51-56).

11. Referring to claim 3, Trimberger in view of Ko has taught a computer processor according to claim 1, wherein the decode unit is operable to detect if an instruction packet contains a data processing instruction (Trimberger: column 7, lines 45-50).

12. Referring to claim 4, Trimberger in view of Ko has taught a computer processor according to claim 1, wherein the configurable operators are configurable at the level of multibit values (Trimberger: column 9, lines 18-19) (The opcode is a multibit value).

13. Referring to claim 5, Trimberger in view of Ko has taught a computer processor according to claim 4, wherein the configurable operators are configurable at the level of multibit values comprising four or more bits (Trimberger: column 9, lines 18-19) (The opcode is at least 4 bits).

14. Referring to claim 6, Trimberger in view of Ko has taught a computer processor according to claim 4, wherein the configurable operators are configurable at the level of words (Trimberger: column 9, lines 24-25) (Immediate values are optional; therefore, the whole word is configurable).

15. Referring to claim 7, Trimberger in view of Ko has taught a computer processor according to claim 1. Trimberger has not taught that a plurality of the fixed operators of the first data execution path is arranged to perform a plurality of fixed operations in independent lanes according to single instruction multiple data principles. However, Official Notice is taken that SIMD and the related advantages are well known and accepted in the art. Specifically, SIMD allows each execution unit to perform the same instruction on different data in the same cycle, thereby increasing data level parallelism. Higher parallelism will potentially result in higher throughput as more operations can occur at once. Consequently, it would have been obvious to

one of ordinary skill in the art at the time of the invention to modify Trimberger such that a plurality of the fixed operators of the first data execution path (Fig.2, component 100) is arranged to perform a plurality of fixed operations in independent lanes according to single instruction multiple data principles.

16. Referring to claim 8, Trimberger in view of Ko has taught a computer processor according to claim 1. Trimberger in view of Ko has not taught that a plurality of the configurable operators of the second data execution path is arranged to perform multiple operations in different lanes according to single instruction multiple data principles. However, Official Notice is taken that SIMD and the related advantages are well known and accepted in the art. Specifically, SIMD allows each execution unit to perform the same instruction on different data in the same cycle, thereby increasing data level parallelism. Higher parallelism will potentially result in higher throughput as more operations can occur at once. Consequently, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Trimberger in view of Ko such that a plurality of the configurable operators of the second data execution path (Fig.2, component 120) is arranged to perform multiple operations in different lanes according to single instruction multiple data principles.

17. Referring to claim 9, Trimberger in view of Ko has taught a computer processor according to claim 1, wherein configurable operators of the second execution path are arranged to receive configuration information which determines the nature of the operations performed (Trimberger: column 8, lines 5-17).

18. Referring to claim 10, Trimberger in view of Ko has taught a computer processor according to claim 9, wherein configurable operators of the second execution path are arranged

to receive configuration information which determines the nature of the operations performed from a field of an instruction defining a configurable data processing operation (Trimberger: column 7, lines 62-67; column 8, lines 1-17).

19. Referring to claim 11, Trimberger in view of Ko has taught a computer processor according to claim 1, wherein configurable operators of the second execution path are arranged to receive configuration information comprising information controlling relative interconnectivity of the configurable operators (Trimberger: column 8, lines 35-37. Also recall that Ko has taught connecting definable circuitry to hardwired circuitry (Fig.1, Fig.2)).

20. Referring to claim 12, Trimberger in view of Ko has taught a computer processor according to claim 9, comprising a control map associated with configurable operators of the second data execution path, said control map being operable to receive at least one configuration bit from a configurable data processing instruction and to provide configuration information to the configurable operators responsive thereto (Trimberger: column 7, lines 62-67; column 8, lines 1-17).

21. Referring to claim 13, Trimberger in view of Ko has taught a computer processor according to claim 12, wherein said configuration information controls interconnectivity between two or more of said configurable operators (Trimberger: column 8, lines 35-37).

22. Referring to claim 14, Trimberger in view of Ko has taught a computer processor according to claim 1, wherein configurable operators of the second execution path are arranged to receive either configuration information determining the nature of an operation to be performed or configuration information controlling interconnectivity from a source other than a

configurable data processing instruction (Trimberger: column 8, lines 5-17; Figure 2; items 101, 102 and 123).

23. Referring to claim 15, Trimberger in view of Ko has taught a computer processor according to claim 1, wherein at least one configurable operator of the second data execution path is capable of executing data processing instructions with an execution depth greater than two computations before returning results to a results store (Trimberger: column 3, lines 10-27) (It is inherent that these complex functions will take at least two cycles).

24. Referring to claim 16, Trimberger in view of Ko has taught a computer processor according to claim 1, comprising a switch mechanism for receiving data processing operands from a configurable data processing instruction and switching them as appropriate for supply to one or more of said configurable operators (Trimberger: column 7, lines 45-50).

25. Referring to claim 17, Trimberger in view of Ko has taught a computer processor according to claim 1, comprising a switch mechanism for receiving results from one or more of said configurable operators and switching the results as appropriate for supply to one or more of a result store and feed back loop (Trimberger: column 8, lines 51-59).

26. Referring to claim 18, Trimberger in view of Ko has taught a computer processor according to claim 1, comprising a plurality of control maps for mapping configuration bits received from configurable data processing instructions to configuration information for supply to configurable operators of the second data execution path (Trimberger: column 3, lines 66-67; column 4, lines 1-10).

27. Referring to claim 19, Trimberger in view of Ko has taught a computer processor according to claim 1, comprising a switch mechanism for receiving configuration information

from a control map and switching it as appropriate for supply to configurable operators of the second data execution path (Trimberger: column 8, lines 5-17).

28. Referring to claim 20, Trimberger in view of Ko has taught a computer processor according to claim 1, comprising configurable operators selected from one or more of: multiply accumulate operators; arithmetic operators; state operators; and cross-lane permuters (Trimberger: column 3, lines 10-27).

29. Referring to claim 21, Trimberger in view of Ko has taught a computer processor according to claim 1, comprising operators and an instruction set capable of performing one or more operations selected from: Fast Fourier Transforms; Inverse Fast Fourier Transforms; Viterbi encoding/decoding; Turbo encoding/decoding; and Finite Impulse Response calculations; and any other Correlations or Convolutions (Trimberger: column 3, lines 10-27) (polynomial evaluation is used in FFT and IFFT).

30. Referring to claim 22, Trimberger has taught a method of operating a computer processor having control and data processing capabilities, said computer processor comprising:

a) a decode unit for decoding instructions (Fig.2, component 112).

b) a dedicated data processing facility having its own data register file (Fig.2, component 103 or 130), the data processing facility comprising:

b1) a first data execution path including fixed operators (Fig.2, component 100).

b2) a second data execution path including at least configurable operators (Fig.2, component 120), the method comprising:

- decoding a plurality of instructions to detect whether at least one data processing instruction, of said plurality of instructions, defines a fixed data

processing operation or a configurable data processing operation
(Trimberger: column 7, lines 45-50).

- causing the computer processor to supply data for processing to said first data execution path when a fixed data processing instruction is detected and to said configurable data execution path when a configurable data processing instruction is detected; and outputting the results produced by a selected execution path (Trimberger: column 7, lines 45-50).

c) Trimberger has not taught a dedicated control processing facility comprising a control execution path having its own control register file. However, Official Notice is taken that branch units pushing return addresses on a stack-based register file is a well known and advantageous concept in the art. Specifically, a branch unit is a unit which controls program flow in response to a branch, such as a subroutine call or return instruction. Having these instructions is useful because it allows the programmer to repeat a code routine by simply calling the routine. Without a call/return, each time the routine is to be repeated, the actual routine would have to be duplicated. Consequently, by having call/return instructions, code density is increased by only having to write the routine once. Furthermore, in response to such a call, the branch unit will push a return address into its register file stack, which is also a well known component. In response to a return from subroutine instruction, an address would be retrieved from the top of the register file stack. Note that such a register file stack is known to be used in return address prediction which is clearly useful because a return address may be predicted by the register file stack before the true address is fetched from main memory, thereby allowing the processor to continue execution without stalling (which in turn increase throughput). As a result, it would

have been obvious to one of ordinary skill in the art at the time of the invention to modify Trimberger to include a branch unit having its own register file for executing call and return-type instructions, and predicting return addresses to increase throughput. It should further be noted that such a register file is only written to and read from when a branch of some sort occurs, and consequently, it can be said that the branch unit has its own register file.

d) Trimberger has also not taught that said configurable operators having a plurality of predefined hardwired operator classes, at least some of the interconnectivity of said operators is selectable by means of an opcode portion of a data processing instruction. However, Ko has taught the concept of a gate array that contains hardwired operator classes (see Fig.1, components 14, 16, 18, 20, 22, etc) where the interconnectivity of at least some of the classes is selectable (see the definable circuitry of Fig.1 and Fig.2). Essentially, instead of a fully reprogrammable FPGA, as taught by Trimberger, Ko has taught an FPGA with a hardwired DSP portion and a programmable portion so that the programmer may realize different configurations for different applications. One of ordinary skill in the art would have recognized that both Trimberger and Ko have taught gate arrays and that the gate array of Ko would certainly be a substitute for Trimberger's current gate array 120. Such a modification would allow Trimberger to perform DSP operations in addition to maintaining the flexibility associated with reprogrammability. In addition, Ko would allow for expansion via inter-chip communication since his/her gate array ensures communication speed is not degraded. See the summary of invention of Ko on page 2. As a result, in order to perform DSP, include reprogrammability based on application, and ensure hi-speed communication with other components, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify

Trimberger's gate array to be Ko's gate array. And, it would follow that Trimberger would still select the connectivity of the operator classes via program instruction opcode. See column 3, lines 31-33.

31. Referring to claim 23, claim 23 is rejected for the same reasons set forth in the rejection of claim 22.

Response to Arguments

32. Applicant's arguments with respect to claims 1-23 have been considered but are moot in view of the new ground(s) of rejection.

33. Regarding the traversal of the examiner's official taking of Official Notice that a branch unit is well known to push addresses on a stack-based register file (on pages 13-14 of the remarks), the examiner would like to direct applicant's attention to Moshier, U.S. Patent No. 4,228,498, which is herein cited as extrinsic evidence for supporting the examiner's claim. Specifically, see column 10, lines 8-23 and note that a register file is configured into a LIFO stack for holding multiple return address entries for nested subroutine support. Because the examiner has supplied a reference supporting the taking of Official Notice, the taking of Official Notice is maintained.

Conclusion

34. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

35. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Applicant is reminded that in amending in response to a rejection of claims, the patentable novelty must be clearly shown in view of the state of the art disclosed by the references cited and the objections made. Applicant must also show how the amendments avoid such references and objections. See 37 CFR § 1.111(c).

Langhammer, U.S. Patent Application Publication No. US 20020089348 A1, has taught a programmable logic integrated circuit which includes dedicated processor components.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David J. Huisman whose telephone number is (571) 272-4168. The examiner can normally be reached on Monday-Friday (8:00-4:30).


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:
10/813,433
Art Unit: 2183

Page 15

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DJH
David J. Huisman
January 14, 2008

A handwritten signature in black ink, appearing to read "David J. Huisman". The signature is written in a cursive, flowing style with a large initial "D".